

ITEM OPPORTUNITY SYNOPSIS:

Supplier Scouting Number

TECHNICAL INFORMATION:	1. Describe the item:	
		Please describe the item application/ the end use of item.
	Provide the item number <u>if applicable</u>: (N95 Mask vs Protective Mask).	
	2. Summary of Technical Specifications and Performance Requirements:	a. Provide dimensions / size / tolerances / performance specifications for the item.
		b. List required materials needed to make the product, Including materials of product components, if applicable.
		c. Are there applicable certification requirements to supply this item? (i.e. ISO certification) Are there any applicable regulations that apply to the production of this item? (i.e. FDA regulations or EPA regulations) Are there any other standard requirements? (i.e. ASME Standard, IEEE Standard) Please specify.
	d. Describe the manufacturing processes (elaborate to provide as much detail as possible).	
f. Additional Comments:		
Is there other information that would impact the item's performance or usefulness? Please explain.		

BUSINESS INFORMATION:	Potential Business Volume Estimate (i.e., # Units Per Day, Month, Year):				
	Target Price / Unit Cost Information:				
Delivery Requirements:	When is it needed by? (Immediate, 30 Days, 6 months, etc.)				
	Describe packaging requirements (i.e., individually/ group packaging).				
	Where is this opportunity located? Is there a preferred shipping proximity - if applicable?				
Additional Comments:	How long would you like to leave this opportunity open to the National Network?				
	<input type="checkbox"/> 3 days	<input type="checkbox"/> 5 days	<input type="checkbox"/> 7 days	<input type="checkbox"/> 10 days	_____ Other
	Is there other information you would like to include?				

Photos or diagrams of the item (helpful but not required).

EXHIBIT A

The Licensed Property includes models ZD B03 and ZD G08 and is shown in the attachments in this Exhibit A.

SuLo Hardware: 8 Slots Power Bank Station



- **SuLo Model** - ZD G08
- **Configuration**
 - Weight: 9.92 lbs.
 - Size: 250mm(L) * 110mm(W) * 222mm(H)
 - Storage bin: 8 PCS
 - Material: V0 grade flame retardant ABS+PC material, high temperature resistant, fire resistant, fall resistant
- **Electric Parameter**
 - Input voltage: AC100V ~ 220V 2A
 - Rated power: 60W
 - Safety protection: electric leakage, over current, over voltage, overcharging, short circuit, high/low temperature protection
 - Environment Temp / Humidity: -25°C ~ 45°C / 25%RH ~ 75%RH
- **Communication Network**
 - Built-in mainstream operator APN parameter / support global operator network
 - Communication module - default GPRS module
 - 4G module
- **Customizable Features**
 - Voice - support TTS voice broadcast (optional)
 - **Built-in advertising system**
- **Certification-Global and U.S.**
 - CCC/CE/RoHS/FCC/RoHS/SEK/ETL/UL
- **Upgrade**
 - Remote upgrade - support OTA upgrade
 - Protocol - TCP/IP

XYZ Technology Corp.

SuLo Hardware: Portable Charger



- **SuLo Model** - ZD B03
- **Configuration**
 - Capacity: 5,000mAh Li-polymer battery
 - Size: 132mm(L) * 70mm(W) * 15mm(H)
 - Cables: Built-in Lightning/Micro/Type-C charging cable, TPE material, magnetic type
 - Life cycle: Over 300 times
 - Battery certification: MSDS/UN38.3/CE/FCC/RoHS, global insurance
- **Electric Parameter**
 - Input voltage: DC 5V 2A
 - Output voltage: DC 5V 2A
 - Safety protection: Over current, overvoltage, overcharging, short circuit, high/low temperature protection
- **Fire-proof level**
 - Fireproof level: PC+ABS V0 grade
- **Specification**
 - Magnetic type cables
 - Cable individually replaceable
- **Standard**
 - GB/T 35590-2017

