

MEPNN Supplier Scouting Opportunity Synopsis

Section 1: General Information

| | |
|------------------------------|---|
| Scouting Number | 2024-277 |
| Item to be Scouted | 26-gauge flat stock metal |
| Days to be scouted | 15 |
| Response Due By | 09/26/2024 |
| Description | 26-gauge, galvanized coated steel flat stock metal, painted black |
| Notify Requester Immediately | |
| State item to be used in | Oregon |

Section 2: Technical Information

| | |
|---|--|
| Type of supplier being sought | Manufacturer |
| Reason | BABA |
| Describe the manufacturing processes (elaborate to provide as much detail as possible) | May include but is not limited to Shearing, Punching, Bending, Stamping |
| Provide dimensions / size / tolerances / performance specifications for the item | 4' x 10' sheets 26 gauge thickness rake and eave metal for roofing |
| List required materials needed to make the product, including materials of product components | Galvanized coated steel, black paint |
| Are there applicable certification requirements? | No |
| Are there applicable regulations? | No |
| Are there any other standards, requirements, etc.? | No |
| NAICS 1 | 238160 Roofing Contractors |
| NAICS 2 | |
| Additional Technical Comments | |

Section 4: Business Information

| | |
|---|--------------------------------|
| Estimated potential business volume | 32 sheets for this one project |
| Estimated target price / unit cost information (if unavailable explain) | \$55.00 per one 4' x 10' sheet |
| When is it needed by? | 09/23/2024 |
| Describe packaging requirements | Palletized |
| Where will this item be shipped? | Springfield, OR |

Additional Comments

Is there other information you would like to include?

Department of Commerce Point of Contact information for questions including BABA/Buy American compliance:

Housing and Urban Development (HUD) Community Development Block Grant (CDBG) - City of Eugene

Melanie Svenrou (City of Eugene)

mavenrou@eugene-or.gov

Please copy scouting@nist.gov on all correspondence

Eave Flashing

Eave Flashing for metal roofing

Features: Flashing for around low edge of roof at the eave

Material: Eave Flashing is made from 26 gauge or 29 gauge galvanized coated steel for added corrosion protection and come in 10' lengths.

Installation: Eave Flashing is installed on the low edge of the roof and attached to the roof deck. The metal roofing is installed over the top of this flashing with an inside closure strip sandwiched in between.

